

# LogiLink®



## USB-C™ 2-Port Car Charger, 36W

1 x USB-C™ PD Port & 1 x USB-A QC Port

Art. No.: PA0252



## CHARGE EVERYTHING ALL AT ONCE

Designed with high-speed dual-port charging, 18W USB-C PD3.0 port and 18W USB-A QC3.0 port into an incredibly compact power source; charge two devices simultaneously, perfect for on the road.



RoHS  
compliant



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



PA0252



4 052792 061130

Made in China

36W max.  
Total Output



### Convenient Fast Charging with 5V/9V/12V

Fast charging of 2 devices with USB-C Power Delivery and USB-A QC3.0 ports at the same time, delivers up to 36W for your power hungry devices.



### LED Power Indicator

Effortlessly plug in your devices, even when driving at night.

### Sleek & Compact

Slim design, perfectly fits with any car power outlet, which frees up and looks visually appealing.



RoHS  
compliant




\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



PA0252



Made in China



### Multiple Protection

Built-in overcurrent, overvoltage, and short circuit protection for safety and reliability you can trust.



### Wide Compatibility

All USB-enabled devices can be charged, for smartphones, smartwatches, MP3 player, headsets, digital cameras or any other Bluetooth devices etc.



RoHS  
compliant



\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



PA0252



4 052792 061130

Made in China

# LogiLink®




## USB-C™ 2-Port Car Charger, 36W

1 x USB-C™ PD Port & 1 x USB-A QC Port

Art. No.: PA0252

### Specifications:

Input	DC 12V/24V
Output	USB-C: 5.0V/3.0A (15.0W), 9.0V/2.0A (18.0W), 12.0V/1.5A (18.0W) USB-A: 5.0V/3.0A (15.0W), 9.0V/2.0A (18.0W), 12.0V/1.5A (18.0W) Max. total output: 36.0W
Ripple And Noise	≤120mV
USB Port	2 ports
Operating Temperature	0°C~40°C
Storage Temperature	-40°C ~ 85°C
Operating Relative Humidity	25% ~ 90% (Non-condensing)
Storage Relative Humidity	10% ~ 90% (Non-condensing)
Standby Power Loss	0.1W
Dimensions	Ø27 x 64mm
Weight	24g



### Package Contents:

- » 1 x USB-C 2-Port Car Charger
- » 1 x User Manual

### Package Information:

- » Packing Dimension: mm
- » Packing Weight: kg
- » Carton Dimension: mm
- » Carton Q'ty: pcs
- » Carton Weight: kg

**Warning**  
Remove any device attached on the adaptor before starting the car to avoid damage to the electronic device.  
Please check your gadget power requirement and compatibility.

\*The specifications and pictures are subject to change without prior notice.  
\*All trade names referenced are the registered trademarks of their respective owners.



PA0252



4 052792 061130

Made in China



RoHS  
compliant



Best Connectivity